The Aeronautical Journal of the Royal Aeronautical Society

VOLUME C

JANUARY–DECEMBER 1996

SUBJECT INDEX

AERODYNAMICS

A correlation indicating incipient dynamic stall, M.W. Gracey, A.J. Niven, F.N. Coton, R.A.McD. Galbraith and D. Jiang, pp 305-311.

Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, T. McMichael, K. McKay, M.J. Walker, C. Fielding, G. Lockley, P. Curtis, B. Probert, C.S. Lee and G. Moretti, pp 411-424.

An experimental technique for accurate simulation of the flow field for wing-in-surface-effect craft, A. Sowdon and T. Hori, pp 215-222.

A note on the pressure drag of a forward-swept-wing–plate junction, A.D. Arnott, L. Bernstein and D.G. Petty, pp 281-284.

Dynamic stall vortex convection: thoughts on compressibility, R.B. Green and R.A.McD. Galbraith, pp 367-372.

On innovation in aerodynamics, M.G. Hall, pp 463-470.

Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, X. Mingchu and G. Wenying, pp 121-134.

The aerodynamics of the compound helicopter configuration, M. Bühler and S.J. Newman, pp 111-120.

The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, A. Rosen, A. Isser and M. Yoshpe, pp 27-35.

AEROACOUSTICS

Aeroacoustics, J.E. Ffowcs Williams, pp 531-537.

AEROELASTICITY

Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, J. Schweiger, F. Weiss and S.K. Dobbs, pp 341-350.

Asymmetric vibration of viscoelastically damped multilayered conical shell, K.N. Khatri, pp 285-294.

FCS design for structural coupling stability, B.D. Caldwell, pp 507-519.

Optimisation techniques for a unidimensional structure in idealised critical flutter conditions, S. Tizzi, pp 91-98.

Past and future progress in fixed and rotary wing aeroelasticity, G.T.S. Done, pp 269-280.

Structural dynamics–CFD interaction for computation of vertical tail buffet, O.A. Kandil, S.J. Massey and E.F. Sheta, pp 297-304.

The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, A. Rosen, A. Isser and M. Yoshpe, pp 27-35.

AEROFOILS

A Correlation indicating incipient dynamic stall, M.W. Gracey, A.J. Niven, F.N. Coton, R.A.McD. Galbraith and D. Jiang, pp 305-311.

Aerofoil ground effect revisited, C. Coulliette and A. Plotkin, pp 65-74.

Automatic grid generation for complex geometries, R.J. Smith and M.A. Leschziner, pp 7-14.

Prandtl-Batchelor flow on a circular* cylinder and on aerofoil sections, G. Giannakidis, pp 15-26.

Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, X. Mingchu and G. Wenying, pp 121-134.

Reliability, maintainability and development cost implications of variable camber wings, J.P. Fielding and M.A.F. Vaziry-Zanjany, pp 183-195.

AIRCRAFT PERFORMANCE

Turning performance in a moving airstream, M.E. Eshelby, pp 151-156.

AVIONICS

Avionics, systems design and simulation, D.J. Allerton, pp 439-448.

Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, R.S. Doyle and C.J. Harris, pp 241-251.

Oct-tree terrain modelling methods for terrain reference navigation systems, D.J. Allerton and M.C. Gia, pp 157-164.

BOOK REVIEWS — BY AUTHOR

Anderson, J.D. Computational Fluid Dynamics: the Basics with Applications, p 365.

Beards, C.F. Structural Vibration: Analysis and Damping, p 406.

Cartz, L. Nondestructive Testing: Radiography, Ultrasonics, Liquid Penetrant, Magnetic Particle, Eddy Current, pp 108-109.

Constantinescu, V.N. Laminar Viscous Flow, p 256.

Dowell, E.H. *et al*, A Modern Course in Aeroelasticity — Third, enlarged edition, p 78.

Etkin, B. and Reid, L.D. Dynamics of Flight: Stability and Control — Third edition, p 255.

Ferziger, J.H. and Peric, M. Computational Methods for Fluid Dynamics, p 364.

Fortescue, P. and Stark, J. (Eds), Spacecraft Systems Engineering — Second edition, p 77.

Garcia, M. (Ed) Advances in Optronics and Avionics Technologies, p 108.

Ginsberg, J.H. Advanced Engineering Dynamics — Second edition, p 108.

Hernandez, J.M.M. (Ed) Advances in Acoustics Technology, p 257.

Hoa, S.V. (Ed) Computer-Aided Design of Polymer-Matrix Composite Structures, p 109.

Horath, L. Fundamentals of Materials Science for Technologists: Properties, Testing and Laboratory Exercises, p 255.

James, G. *et al* Modern Engineering Mathematics — Second edition, p 406.

The Aeronautical Journal of the Royal Aeronautical Society

VOLUME C

JANUARY–DECEMBER 1996

SUBJECT INDEX

AERODYNAMICS

A correlation indicating incipient dynamic stall, M.W. Gracey, A.J. Niven, F.N. Coton, R.A.McD. Galbraith and D. Jiang, pp 305-311.

Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, T. McMichael, K. McKay, M.J. Walker, C. Fielding, G. Lockley, P. Curtis, B. Probert, C.S. Lee and G. Moretti, pp 411-424.

An experimental technique for accurate simulation of the flow field for wing-in-surface-effect craft, A. Sowdon and T. Hori, pp 215-222.

A note on the pressure drag of a forward-swept-wing–plate junction, A.D. Arnott, L. Bernstein and D.G. Petty, pp 281-284.

Dynamic stall vortex convection: thoughts on compressibility, R.B. Green and R.A.McD. Galbraith, pp 367-372.

On innovation in aerodynamics, M.G. Hall, pp 463-470.

Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, X. Mingchu and G. Wenying, pp 121-134.

The aerodynamics of the compound helicopter configuration, M. Bühler and S.J. Newman, pp 111-120.

The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, A. Rosen, A. Isser and M. Yoshpe, pp 27-35.

AEROACOUSTICS

Aeroacoustics, J.E. Ffowcs Williams, pp 531-537.

AEROELASTICITY

Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, J. Schweiger, F. Weiss and S.K. Dobbs, pp 341-350.

Asymmetric vibration of viscoelastically damped multilayered conical shell, K.N. Khatri, pp 285-294.

FCS design for structural coupling stability, B.D. Caldwell, pp 507-519.

Optimisation techniques for a unidimensional structure in idealised critical flutter conditions, S. Tizzi, pp 91-98.

Past and future progress in fixed and rotary wing aeroelasticity, G.T.S. Done, pp 269-280.

Structural dynamics–CFD interaction for computation of vertical tail buffet, O.A. Kandil, S.J. Massey and E.F. Sheta, pp 297-304.

The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, A. Rosen, A. Isser and M. Yoshpe, pp 27-35.

AEROFOILS

A Correlation indicating incipient dynamic stall, M.W. Gracey, A.J. Niven, F.N. Coton, R.A.McD. Galbraith and D. Jiang, pp 305-311.

Aerofoil ground effect revisited, C. Coulliette and A. Plotkin, pp 65-74.

Automatic grid generation for complex geometries, R.J. Smith and M.A. Leschziner, pp 7-14.

Prandtl-Batchelor flow on a circular* cylinder and on aerofoil sections, G. Giannakidis, pp 15-26.

Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, X. Mingchu and G. Wenying, pp 121-134.

Reliability, maintainability and development cost implications of variable camber wings, J.P. Fielding and M.A.F. Vaziry-Zanjany, pp 183-195.

AIRCRAFT PERFORMANCE

Turning performance in a moving airstream, M.E. Eshelby, pp 151-156.

AVIONICS

Avionics, systems design and simulation, D.J. Allerton, pp 439-448.

Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, R.S. Doyle and C.J. Harris, pp 241-251.

Oct-tree terrain modelling methods for terrain reference navigation systems, D.J. Allerton and M.C. Gia, pp 157-164.

BOOK REVIEWS — BY AUTHOR

Anderson, J.D. Computational Fluid Dynamics: the Basics with Applications, p 365.

Beards, C.F. Structural Vibration: Analysis and Damping, p 406.

Cartz, L. Nondestructive Testing: Radiography, Ultrasonics, Liquid Penetrant, Magnetic Particle, Eddy Current, pp 108-109.

Constantinescu, V.N. Laminar Viscous Flow, p 256.

Dowell, E.H. *et al*, A Modern Course in Aeroelasticity — Third, enlarged edition, p 78.

Etkin, B. and Reid, L.D. Dynamics of Flight: Stability and Control — Third edition, p 255.

Ferziger, J.H. and Peric, M. Computational Methods for Fluid Dynamics, p 364.

Fortescue, P. and Stark, J. (Eds), Spacecraft Systems Engineering — Second edition, p 77.

Garcia, M. (Ed) Advances in Optronics and Avionics Technologies, p 108.

Ginsberg, J.H. Advanced Engineering Dynamics — Second edition, p 108.

Hernandez, J.M.M. (Ed) Advances in Acoustics Technology, p 257.

Hoa, S.V. (Ed) Computer-Aided Design of Polymer-Matrix Composite Structures, p 109.

Horath, L. Fundamentals of Materials Science for Technologists: Properties, Testing and Laboratory Exercises, p 255.

James, G. *et al* Modern Engineering Mathematics — Second edition, p 406.

Jeffrey, A. Mathematics for Engineers and Scientists — Fifth edition, p 406.
Leitch, R.D. Reliability Analysis for Engineers: an Introduction, p 78.
Lewis, F.L. and Syrmos, V.L. Optimal Control — Second edition, p 256.
McConnell, K.G. Vibration Testing: Theory and Practice, p 257.
McCormick, B.W. Aerodynamics, Aeronautics and Flight Mechanics — Second edition, p 36.
Mei, C.C. Mathematical Analysis in Engineering: How to Use the Basic Tools, p 77.
Nieuwstadt, F.T.M. and Steketee, J.A. (Eds) Selected papers of J.M. Burgers, p 255.
Padfield, G.D. Helicopter Flight Dynamics: the Theory and Application of Flying Qualities and Simulation Modelling, p 364.
Pohl, H.W. Hydrogen and other Alternative Fuels for Air and Ground Transportation, p 77.
Rao, S.S. Mechanical Vibrations — Third edition, pp 364-365.
Sarafin, T.P. and Lasrson, W.J. (Eds) Spacecraft Structures and Mechanisms: From Concept to Launch, p 36.
Timnat, Y.M. Advanced Airbreathing Propulsion, p 365.
Tribble, A.C. The Space Environment: Implications for Spacecraft Design, p 108.
Udwadia, F.E. and Kalaba, R.E. Analytical Dynamics: a New Approach, p 365.
Wendt, J.F. Computational Fluid Dynamics: an Introduction — Second edition, p 255.
Zagainov, G.I. and Lozino-Lozinsk, G.E. (Eds) Composite Materials in Aerospace Design, p 257.

BOOK REVIEWS — BY TITLE

Advanced Airbreathing Propulsion, Y.M. Timnat, p 365.
Advances in Acoustics Technology, J.M.M. Hernandez (Ed), p 257.
Advances in Optronics and Avionics Technologies, M. Garcia (Ed), p 108.
Aerodynamics, Aeronautics and Flight Mechanics — Second edition, B.W. McCormick, p 36.
Advanced Engineering Dynamics — Second edition, J.H. Ginsberg, p 108.
A Modern Course in Aeroelasticity — Third, enlarged edition, E.H. Dowell *et al*, p 78.
Analytical Dynamics: a New Approach, F.E. Udwadia and R.E. Kalaba, p 365.
Composite Materials in Aerospace Design, G.I. Zagainov and G.E. Lozino-Lozinsk (Eds), p 257.
Computational Fluid Dynamics: an Introduction — Second edition, J.F. Wendt, p 255.
Computational Fluid Dynamics: the Basics with Applications, J.D. Anderson, p 365.
Computational Methods for Fluid Dynamics, J.H. Ferziger and M. Peric, p 364.
Computer-Aided Design of Polymer-Matrix Composite Structures, S.V. Hoa (Ed), p 109.
Dynamics of Flight: Stability and Control — Third edition, B. Etkin and L.D. Reid, p 255.
Fundamentals of Materials Science for Technologists: Properties, Testing and Laboratory Exercises, L. Horath, p 255.
Helicopter Flight Dynamics: the Theory and Application of Flying Qualities and Simulation Modelling, G.D. Padfield, p 364.
Hydrogen and other Alternative Fuels for Air and Ground Transportation, H.W. Pohl, p 77.
Laminar Viscous Flow, V.N. Constantinescu, p 256.
Mathematical Analysis in Engineering: How to Use the Basic Tools, C.C. Mei, p 77.
Mathematics for Engineers and Scientists — Fifth edition, A. Jeffrey, p 406.
Mechanical Vibrations — Third edition, S.S. Rao, pp 364-365.
Modern Engineering Mathematics — Second edition, G. James *et al*, p 406.
Nondestructive Testing: Radiography, Ultrasonics, Liquid Penetrant, Magnetic
Optimal Control — Second edition, F.L. Lewis and V.L. Syrmos, p 256.
Particle, Eddy Current, L. Cartz, pp 108-109.
Reliability Analysis for Engineers: an Introduction, R.D. Leitch, p 78.
Selected papers of J.M. Burgers, F.T.M. Nieuwstadt and J.A. Steketee (Eds), p 255.
Spacecraft Structures and Mechanisms: From Concept to Launch, T.P. Sarafin and W.J. Lasrson (Eds), p 36.
Spacecraft Systems Engineering — Second edition, P. Fortescue and J. Stark (Eds), p 77.
Structural Vibration: Analysis and Damping, C.F. Beards, p 406.
The Space Environment: Implications for Spacecraft Design, A.C. Tribble, p 108.
Vibration Testing: Theory and Practice, K.G. McConnell, p 257.

BOUNDARY LAYERS

Characterisation of sandpaper roughness under a turbulent incompressible boundary layer, J.C. Gibbings and S.M. Al-Shukri, pp 235-239.
Incipient separation boundary: confirmation of an empirical criterion by Navier-Stokes solutions, N. Qin, pp 381-384.
On the effect of a strake-like junction fillet on the lift and drag of a wing, L. Bernstein and S. Hamid, pp 39-52.
On the incipient separation of a turbulent hypersonic boundary layer, H. Babinsky and J.A. Edwards, pp 209-214.
Reynolds number effects on the prediction of mean flow data for adiabatic 2-D compressible boundary layers, F. Motallebi, pp 53-59.
The boundary layer on a flat plate in hypervelocity flow, S.G. Mallinson, S.L. Gai and N.R. Mudford, pp 135-141.

COMPUTATIONAL FLUID DYNAMICS

Automatic grid generation for complex geometries, R.J. Smith and M.A. Leschziner, pp 7-14.
Structural dynamics–CFD interaction for computation of vertical tail buffet, O.A. Kandil, S.J. Massey and E.F. Sheta, pp 297-304.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, A.L. Smith, I.A. Johnston and K.J. Austin, pp 385-388.

DRAG

A note on the pressure drag of a forward-swept-wing–plate junction, A.D. Arnott, L. Bernstein and D.G. Petty, pp 281-284.
On the effect of a strake-like junction fillet on the lift and drag of a wing, L. Bernstein and S. Hamid, pp 39-52.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, A.L. Smith, I.A. Johnston and K.J. Austin, pp 385-388.

FINITE ELEMENT ANALYSIS

Transient finite element dynamic response of laminated composite stiffened shell, M. Mukhopadhyay and S. Goswami, pp 223-234.

FLUID MECHANICS

An experimental technique for accurate simulation of the flow field for wing-in-surface-effect craft, A. Sowdon and T. Hori, pp 215-222.
Characterisation of sandpaper roughness under a turbulent incompressible boundary layer, J.C. Gibbings and S.M. Al-Shukri, pp 235-239.
Incipient separation boundary: confirmation of an empirical criterion by Navier-Stokes solutions, N. Qin, pp 381-384.
On the effect of uniform suction on stability and transition in zero pressure gradient viscous incompressible flow, D.I.A. Poll, S.A. Walsh and M.C. Gallagher, pp 143-150.
On the start condition of a second-throat ejector–diffuser, J.J. Wang and F. Chen, pp 321-326.

Prandtl-Batchelor flow on a circular cylinder and on aerofoil sections, G. Giannakidis, pp 15-26.
Recent advances in lifting surface methods, D.D. Liu, P.C. Chen, Z.X. Yao and D. Sarhaddi, pp 327-340.
Technical Note: An analytical formula for the Lagrange time in two-dimensional potential flow, W.C. Hassenpflug, pp 75-76.
Technical Note: Effects of a central straight on an S-shaped diffusing duct, S.C.M. Yu and W.K. Chan, pp 351-354.

HYPERSONIC FLOWS
Hypersonic control flap effectiveness, D. Kumar and J.L. Stollery, pp 197-208.
On the incipient separation of a turbulent hypersonic boundary layer, H. Babinsky and J.A. Edwards, pp 209-214.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, A.L. Smith, I.A. Johnston and K.J. Austin, pp 385-388.
The boundary layer on a flat plate in hypervelocity flow, S.G. Mallinson, S.L. Gai and N.R. Mudford, pp 135-141.

JETS
Experimental studies on flow transition of a plane wall jet, F.-B. Hsiao and S.-S. Sheu, pp 373-380.
Technical Note: Studies on twin elliptic jets, S. Elangovan, A. Solaiappan and E. Rathakrishnan, pp 295-296.

MANUFACTURING
Manufacturing technology development for aerospace composite structures, A.R. Mills, pp 539-545.

MATERIALS
Advances in materials for aerospace, C.J. Peel, pp 487-503.
Asymmetric vibration of viscoelastically damped multilayered conical shell, K.N. Khatri, pp 285-294.
The influence on optimal structural designs of the modelling processes and design concepts. Part 1: All composite, sandwich wing design concepts, P.T. Anastasiadis and A.J. Morris, pp 165-176.
Transient finite element dynamic response of laminated composite stiffened shell, M. Mukhopadhyay and S. Goswami, pp 223-234.

MODELLING
Reliability, maintainability and development cost implications of variable camber wings, J.P. Fielding and M.A.F. Vaziry-Zanjany, pp 183-195.
The influence on optimal structural designs of the modelling processes and design concepts. Part 1: All composite, sandwich wing design concepts, P.T. Anastasiadis and A.J. Morris, pp 165-176.

PHOTOGRAPHS
Aircraft
Ranger 2000 ground resonance test set up, p 347.
The flybywire Jaguar, p 416.
Eurofighter EF2000, p 416.
Vickers Vimy and the Rolls-Royce Eagle, p 473.
1929 Schneider Trophy winning Supermarine S6, p 474.
Supermarine Spitfire with the Merlin engine, p 474.
Vickers Viscount and the Rolls-Royce Dart, p 474.
Rolls-Royce Flying Bedstead, p 475.
Sea Harrier, p 475.
Concorde, p 478.
EF2000 DA3 with EJ200 engines, p 479.
The Lockheed Martin JSF, p 479.
Boeing JSF, p 480.
The ultra-large A3XX will pose significant demands for large pieces of material and manufactured structures, p 490.
Sepecat Jaguar, p 510.
Panavia Tornado IDS, p 511.
BAe EAP demonstrator aircraft, p 511.
Eurofighter EF2000 development aircraft DA2, p 514.
The Spitfire fuselage designed and built of Gordon Aerolite material by Aero Research Ltd, Duxford, in 1940, p 539.
Beech Starship turboprop executive aircraft with all-composite airframe, p 545.

Astrogeology
A multitemporal image of Gaeta, Italy, p 432.
Eagle Nebula imaged by the Wide Field and Planetry Camera-2 on the Hubble Space Telescope in April 1995, p 433.

Cars
Henry Royce in a prototype Phantom I, p 473.

Communications
Manpack mobile military communications terminal, p 431.

Components
Helicopter tailplane manufactured using thermoplastic composite materials, p 456.
RR3000 IP and CMSX-4 HP turbine blades, p 476.
Wide chord fan blade, p 477.
Swept fan rotor, p 482.
A 1 m long floor support beam manufactured entirely from one piece of aluminium matrix composites, p 496.
Electronic and mechanical systems may well exploit the stiffness, wear resistance and controlled thermal expansion of metal matrix composites, p 496.
Titanium MMC demonstrator Bling, p 498.
Two new fibres for potential future applications. Hollow carbon fibre and silicon carbide monofiiament coated with alloy, p 500.
Clam-shell arrangement of the nozzle used on Concorde's Olympus engines, shown in an early test configuration, p 533.

Engines
Vickers Vimy and the Rolls-Royce Eagle, p 473.
Supermarine Spitfire with the Merlin engine, p 474.
Vickers Viscount and the Rolls-Royce Dart, p 474.
A Pegasus engine for the Harrier, p 475.
Rolls-Royce Conway, p 475.

Microlights
Unconventional microlight ZEM-94 adapted for wing tests, p 61.
Final cabin geometry of propelling unit of ZEM-94, p 61.

Research facilities
Project teams in project hall, p 476.
Noise research, p 484.
A large loudspeaker array used to demonstrate the anti-sound control of engine exhaust noise, p 534.

Rotorcraft
VPM M16 Tandem Trainer gyroplane, p4.
The EH101 Merlin, p 451.
Schematic sharing a thrust and lift compounded variant of the EH101, p 460.

Spacecraft
Galileo entering the atmosphere of Jupiter in December 1995, p 427.
Envisat, Hot Bird 2 and Telecom 2D in the integration hall of Matra Marconi Space in Toulouse, p 428.
Ariane flight 71 is prepared for launch in French Guiana, p 429.
Launch of a Chinese Long March 2E from the Xichang launch site, p 429.
Japanese JC-Sat 3 communications satellite in Hughes' anechoic chamber in Los Angeles, p 430.
Polar Platform structure model in the assembly hall at Matra Marconi Space, Bristol, p 432.

Nasa's Mars exploration spacecraft for the late 1990s, Mars Global Surveyor and Mars Pathfinder, p 433.
Russia's *Mir* space station from Space Shuttle *Atlantis* during November 1995, p 434.
X-33 VentureStar reusable launch vehicle technology demonstrator, due to fly in 1999, p 434.
One of two Garuda communications satellites that will provide mobile telecommunications throughout Indonesia and the Far East from 1998, p 435.
Martian surface exploration, p 436.
International Space Station, complete with docked Soyuz ferry, crew escape capsule and ESA cargo transporter, p 437.

Test results
Surface oil flow patterns on the plate for the swept wing–plate junction at $\alpha = 0°$, p 52.
Surface oil flow patterns on the plate for the swept wing–plate junction at $\alpha = 9°$, p 52.
Surface-oil patterns in the region of the slot, p 219.
Smoke flow through the slot, p 220.
Smoke flow visualisation — straight blowing, configuration 1, p 359.
Smoke flow visualisation — upper surface tangential blowing, p 360.
Shadowgraph of the flow in an air jet showing the development of turbulence in the shear layers that meet some eight nozzle diameters downstream, p 532.
Pictures showing the jet flow excited by sound as it emerges from the exit nozzle, p 533.
Shadowgraph of a twin notched nozzle flow showing the effect of the streamwise vortices that fan out the jet and increase its mixing rate, p 533.

Windtunnel models
General view of the swept wing–plate model mounted in the low speed windtunnel, p 52.

PROPULSION
Innovation in aero engines, P.C. Ruffles, pp 473-484.
The automatic interpretation of vibration data from gas turbines, R.J. Allwood, S.P. King and N.J. Pitts, pp 99-107.

ROTORCRAFT
A correlation indicating incipient dynamic stall, M.W. Gracey, A.J. Niven, F.N. Coton, R.A.McD. Galbraith and D. Jiang, pp 305-311.
Future rotorcraft technology developments, D.J. Tyler and A.H. Vincent, pp 451-460.
Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, R.S. Doyle and C.J. Harris, pp 241-251.
Past and future progress in fixed and rotary wing aeroelasticity, G.T.S. Done, pp 269-280.
The aerodynamics of the compound helicopter configuration, M. Bühler and S.J. Newman, pp 111-120.
The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, A. Rosen, A. Isser and M. Yoshpe, pp 27-35.

ROYAL AERONAUTICAL SOCIETY SYMPOSIA
Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, J. Schweiger, F. Weiss and S.K. Dobbs, pp 341-350.
Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, R.S. Doyle and C.J. Harris, pp 241-251.
Structural dynamics–CFD interaction for computation of vertical tail buffet, O.A. Kandil, S.J. Massey and E.F. Sheta, pp 297-304.

SAFETY
Research into the factors influencing survival in aircraft accidents, H.C. Muir, pp 177-182.

SEPARATION CONTROL
Incipient separation boundary: confirmation of an empirical criterion by Navier-Stokes solutions, N. Qin, pp 381-384.

SIMULATION
Development of a real-time simulation of a Vstol aircraft, A.J. Gillespie and S.J. Handley, pp 397-405.
Improved methodology for inverse simulation, S. Rutherford and D.G. Thomson, pp 79-86.

SPACE
Space: towards the next millennium, M. Williamson, pp 427-437.

STABILITY AND CONTROL
Aircraft dynamics optimisation via linear matrix inequalities, G. Mengali, pp 313-320.
Aircraft parameter identification using an estimation-before-modelling technique, J.C. Hoff and M.V. Cook, pp 259-268.
A method for determining the wing lift-to-drag ratio of a propelled hang-glider, J. Wolf, pp 60-64.
An experimental investigation into yaw control at high alpha on a chined forebody using slot blowing, S.P. Williams and K.P. Garry, pp 355-363.
Improved methodology for inverse simulation, S. Rutherford and D.G. Thomson, pp 79-86.
Limit-cycle taming by nonlinear control with applications to flutter, F. Mastroddi and L. Morino, pp 397-405.
Longitudinal stability of gyroplanes, S.S. Houston, pp 1-6.

STRUCTURES
Aircraft structures, G.A.O. Davies, pp 523-529.
Manufacturing technology development for aerospace composite structures, A.R. Mills, pp 539-545.
Optimisation techniques for a unidimensional structure in idealised critical flutter conditions, S. Tizzi, pp 91-98.
Structural dynamics–CFD interaction for computation of vertical tail buffet, O.A. Kandil, S.J. Massey and E.F. Sheta, pp 297-304.
The influence on optimal structural designs of the modelling processes and design concepts. Part 1: All composite, sandwich wing design concepts, P.T. Anastasiadis and A.J. Morris, pp 165-176.
Transient finite element dynamic response of laminated composite stiffened shell, M. Mukhopadhyay and S. Goswami, pp 223-234.

VIBRATION
Technical Note: Optimisation of vibration absorbers for aircraft cannon, P.S. Heyns and W.N.v.d.S. Benadé, pp 87-90.
The automatic interpretation of vibration data from gas turbines, R.J. Allwood, S.P. King and N.J. Pitts, pp 99-107.

VORTICES
Technical Note: Effects of taper ratio on trailing vortex structure, L.W. Traub, pp 252-254.

AUTHOR INDEX

ALLERTON, D.J.
Avionics, systems design and simulation, pp 439-448.

ALLERTON, D.J. and GIA, M.C.
Oct-tree terrain modelling methods for terrain reference navigation systems, pp 157-164.

ALLWOOD, R.J., KING, S.P. and PITTS, N.J.
The automatic interpretation of vibration data from gas turbines, pp 99-107.

AL-SHUKRI, S.M. and GIBBINGS, J.C.
Characterisation of sandpaper roughness under a turbulent incompressible boundary layer, pp 235-239.

ANASTASIADIS, P.T. and MORRIS, A.J.
The influence on optimal structural designs of the modelling processes and design concepts. Part 1: All composite, sandwich wing design concepts, pp 165-176.

ARNOTT, A.D., BERNSTEIN, L. and PETTY, D.G.
A note on the pressure drag of a forward-swept-wing–plate junction, pp 281-284.

AUSTIN, K.J., SMITH, A.L. and JOHNSTON, I.A.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, pp 385-388.

BABINSKY, H. and EDWARDS, J.A.
On the incipient separation of a turbulent hypersonic boundary layer, pp 209-214.

BENADÉ, W.N.v.d.S. and HEYNS, P.S.
Technical Note: Optimisation of vibration absorbers for aircraft cannon, pp 87-90.

BERNSTEIN, L., ARNOTT, A.D. and PETTY, D.G.
A note on the pressure drag of a forward-swept-wing–plate junction, pp 281-284.

BERNSTEIN, L. and HAMID, S.
On the effect of a strake-like junction fillet on the lift and drag of a wing, pp 39-52.

BÜHLER, M. and NEWMAN, S.J.
The aerodynamics of the compound helicopter configuration, pp 111-120.

CALDWELL, B.D.
FCS design for structural coupling stability, pp 507-519.

CHAN, W.K. and YU, S.C.M.
Technical Note: Effects of a central straight on an S-shaped diffusing duct, pp 351-354.

CHEN, F. and WANG, J.J.
On the start condition of a second-throat ejector–diffuser, pp 321-326.

CHEN, P.C., LIU, D.D., YAO, Z.X. and SARHADDI, D.
Recent advances in lifting surface methods, pp 327-340.

COOK, M.V. and HOFF, J.C.
Aircraft parameter identification using an estimation-before-modelling technique, pp 259-268.

COTON, F.N., GRACEY, M.W., NIVEN, A.J., GALBRAITH, R.A.McD. and JIANG, D.
A correlation indicating incipient dynamic stall, pp 305-311.

COULLIETTE, C. and PLOTKIN, A.
Aerofoil ground effect revisited, pp 65-74.

CURTIS, P., McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., LOCKLEY, G., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

DAVIES, G.A.O.
Aircraft structures, pp 523-529.

DOBBS, S.K., SCHWEIGER, J. and WEISS, F.
Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, pp 341-350.

DONE, G.T.S.
Past and future progress in fixed and rotary wing aeroelasticity, pp 269-280.

DOYLE, R.S. and HARRIS, C.J.
Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, pp 241-251.

EDWARDS, J.A. and BABINSKY, H.
On the incipient separation of a turbulent hypersonic boundary layer, pp 209-214.

ELANGOVAN, S., SOLAIAPPAN, A. and RATHAKRISHNAN, E.
Technical Note: Studies on twin elliptic jets, pp 295-296.

ESHELBY, M.E.
Turning performance in a moving airstream, pp 151-156.

FFOWCS WILLIAMS, J.E.
Aeroacoustics, pp 531-537.

FIELDING, C., McMICHAEL, T., McKAY, K., WALKER, M.J., LOCKLEY, G., CURTIS, P., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

FIELDING, J.P. and VAZIRY-ZANJANY, M.A.F.
Reliability, maintainability and development cost implications of variable camber wings, pp 183-195.

GAI, S.L., MALLINSON, S.G. and MUDFORD, N.R.
The boundary layer on a flat plate in hypervelocity flow, pp 135-141.

GALBRAITH, R.A.McD., GRACEY, M.W., NIVEN, A.J., COTON, F.N. and JIANG, D.
A correlation indicating incipient dynamic stall, pp 305-311.

GALBRAITH, R.A.McD. and GREEN, R.B.
Dynamic stall vortex convection: thoughts on compressibility, pp 367-372.

GALLAGHER, M.C., POLL, D.I.A. and WALSH, S.A.
On the effect of uniform suction on stability and transition in zero pressure gradient viscous incompressible flow, pp 143-150.

GARRY, K.P. and WILLIAMS, S.P.
An experimental investigation into yaw control at high alpha on a chined forebody using slot blowing, pp 355-363.

GIA, M.C. and ALLERTON, D.J.
Oct-tree terrain modelling methods for terrain reference navigation systems, pp 157-164.

GIANNAKIDIS, G.
Prandtl-Batchelor flow on a circular cylinder and on aerofoil sections, pp 15-26.

GIBBINGS, J.C. and AL-SHUKRI, S.M.
Characterisation of sandpaper roughness under a turbulent incompressible boundary layer, pp 235-239.

GILLESPIE, A.J. and HANDLEY, S.J.
Development of a real-time simulation of a Vstol aircraft, pp 397-405.

GOSWAMI, S. and MUKHOPADHYAY, M.
Transient finite element dynamic response of laminated composite stiffened shell, pp 223-234.

GRACEY, M.W., NIVEN, A.J., COTON, F.N., GALBRAITH, R.A.McD. and JIANG, D.
A correlation indicating incipient dynamic stall, pp 305-311.

GREEN, R.B. and GALBRAITH, R.A.McD.
Dynamic stall vortex convection: thoughts on compressibility, pp 367-372.

HALL, M.G.
On innovation in aerodynamics, pp 463-470.

HAMID, S. and BERNSTEIN, L.
On the effect of a strake-like junction fillet on the lift and drag of a wing, pp 39-52.

HANDLEY, S.J. and GILLESPIE, A.J.
Development of a real-time simulation of a Vstol aircraft, pp 397-405.

HARRIS, C.J. and DOYLE, R.S.
Multi-sensor data fusion for helicopter guidance using neuro-fuzzy estimation algorithms, pp 241-251.

HASSENPFLUG, W.C.
Technical Note: An analytical formula for the Lagrange time in two-dimensional potential flow, pp 75-76.

HEYNS, P.S. and BENADÉ, W.N.v.d.S.
Technical Note: Optimisation of vibration absorbers for aircraft cannon, pp 87-90.

HOFF, J.C. and COOK, M.V.
Aircraft parameter identification using an estimation-before-modelling technique, pp 259-268.

HORI, T. and SOWDON, A.
An experimental technique for accurate simulation of the flow field for wing-in-surface-effect craft, pp 215-222.

HOUSTON, S.S.
Longitudinal stability of gyroplanes, pp 1-6.

HSIAO, F.-B. and SHEU, S.-S.
Experimental studies on flow transition of a plane wall jet, pp 373-380.

ISSER, A., ROSEN, A. and YOSHPE, M.
The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, pp 27-35.

JIANG, D., GRACEY, M.W., NIVEN, A.J., COTON, F.N. and GALBRAITH, R.A.McD.
A correlation indicating incipient dynamic stall, pp 305-311.

JOHNSTON, I.A., SMITH, A.L., and AUSTIN, K.J.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, pp 385-388.

KANDIL, O.A., MASSEY, S.J. and SHETA, E.F.
Structural dynamics–CFD interaction for computation of vertical tail buffet, pp 297-304.

KHATRI, K.N.
Asymmetric vibration of viscoelastically damped multilayered conical shell, pp 285-294.

KING, S.P., ALLWOOD, R.J. and PITTS, N.J.
The automatic interpretation of vibration data from gas turbines, pp 99-107.

KUMAR, D. and STOLLERY, J.L.
Hypersonic control flap effectiveness, pp 197-208.

LEE, C.S., McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., LOCKLEY, G., CURTIS, P., PROBERT, B. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

LESCHZINER, M.A. and SMITH, R.J.
Automatic grid generation for complex geometries, pp 7-14.

LIU, D.D., CHEN, P.C., YAO, Z.X. and SARHADDI, D.
Recent advances in lifting surface methods, pp 327-340.

LOCKLEY, G., McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., CURTIS, P., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

MALLINSON, S.G., GAI, S.L. and MUDFORD, N.R.
The boundary layer on a flat plate in hypervelocity flow, pp 135-141.

MASSEY, S.J., KANDIL, O.A. and SHETA, E.F.
Structural dynamics–CFD interaction for computation of vertical tail buffet, pp 297-304.

MASTRODDI, F. and MORINO, L.
Limit-cycle taming by nonlinear control with applications to flutter, pp 397-405.

McKAY, K., McMICHAEL, T., WALKER, M.J., FIELDING, C., LOCKLEY, G., CURTIS, P., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., LOCKLEY, G., CURTIS, P., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

MENGALI, G.
Aircraft dynamics optimisation via linear matrix inequalities, pp 313-320.

MILLS, A.R.
Manufacturing technology development for aerospace composite structures, pp 539-545.

MINGCHU, X. and WENYING, G.
Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, pp 121-134.

MORETTI, G., McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., LOCKLEY, G., CURTIS, P., PROBERT, B. and LEE, C.S.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

MORINO, L. and MASTRODDI, F.
Limit-cycle taming by nonlinear control with applications to flutter, pp 397-405.

MORRIS, A.J. and ANASTASIADIS, P.T.
The influence on optimal structural designs of the modelling processes and design concepts. Part 1: All composite, sandwich wing design concepts, pp 165-176.

MOTALLEBI, F.
Reynolds number effects on the prediction of mean flow data for adiabatic 2-D compressible boundary layers, pp 53-59.

MUDFORD, N.R., GAI, S.L. and MALLINSON, S.G.
The boundary layer on a flat plate in hypervelocity flow, pp 135-141.

MUIR, H.C.
Research into the factors influencing survival in aircraft accidents, pp 177-182.

MUKHOPADHYAY, M. and GOSWAMI, S.
Transient finite element dynamic response of laminated composite stiffened shell, pp 223-234.

NEWMAN, S.J. and BÜHLER, M.
The aerodynamics of the compound helicopter configuration, pp 111-120.

NIVEN, A.J., GRACEY, M.W., COTON, F.N., GALBRAITH, R.A.McD. and JIANG, D.
A correlation indicating incipient dynamic stall, pp 305-311.

PEEL, C.J.
Advances in materials for aerospace, pp 487-503.

PETTY, D.G., ARNOTT, A.D. and BERNSTEIN, L.
A note on the pressure drag of a forward-swept-wing–plate junction, pp 281-284.

PITTS, N.J., KING, S.P. and ALLWOOD, R.J.
The automatic interpretation of vibration data from gas turbines, pp 99-107.

PLOTKIN, A. and COULLIETTE, C.
Aerofoil ground effect revisited, pp 65-74.

POLL, D.I.A., WALSH, S.A. and GALLAGHER, M.C.
On the effect of uniform suction on stability and transition in zero pressure gradient viscous incompressible flow, pp 143-150.

PROBERT, B., McMICHAEL, T., McKAY, K., WALKER, M.J., FIELDING, C., LOCKLEY, G., CURTIS, P., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

QIN, N.
Incipient separation boundary: confirmation of an empirical criterion by Navier-Stokes solutions, pp 381-384.

RATHAKRISHNAN, E., ELANGOVAN, S. and SOLAIAPPAN, A.
Technical Note: Studies on twin elliptic jets, pp 295-296.

ROSEN, A., ISSER, A. and YOSHPE, M.
The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, pp 27-35.

RUFFLES, P.C.
Innovation in aero engines, pp 473-484.

RUTHERFORD, S. and THOMSON, D.G.
Improved methodology for inverse simulation, pp 79-86.

SARHADDI, D., LIU, D.D., CHEN, P.C. and YAO, Z.X.
Recent advances in lifting surface methods, pp 327-340.

SCHWEIGER, J., WEISS, F. and DOBBS, S.K.
Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, pp 341-350.

SHETA, E.F., KANDIL, O.A. and MASSEY, S.J.
Structural dynamics–CFD interaction for computation of vertical tail buffet, pp 297-304.

SHEU, S.-S. and HSIAO, F.-B.
Experimental studies on flow transition of a plane wall jet, pp 373-380.

SMITH, A.L., JOHNSTON, I.A. and AUSTIN, K.J.
Technical Note: Comparison of numerical and experimental drag measurement in hypervelocity flow, pp 385-388.

SMITH, R.J. and LESCHZINER, M.A.
Automatic grid generation for complex geometries, pp 7-14.

SOLAIAPPAN, A., ELANGOVAN, S. and RATHAKRISHNAN, E.
Technical Note: Studies on twin elliptic jets, pp 295-296.

SOWDON, A. and HORI, T.
An experimental technique for accurate simulation of the flow field for wing-in-surface-effect craft, pp 215-222.

STOLLERY, J.L.
The 1000th issue of *The Aeronautical Journal* — an introduction, p 409.

STOLLERY, J.L. and KUMAR, D.
Hypersonic control flap effectiveness, pp 197-208.

THOMSON, D.G. and RUTHERFORD, S.
Improved methodology for inverse simulation, pp 79-86.

TIZZI, S.
Optimisation techniques for a unidimensional structure in idealised critical flutter conditions, pp 91-98.

TRAUB, L.W.
Technical Note: Effects of taper ratio on trailing vortex structure, pp 252-254.

TYLER, D.J. and VINCENT, A.H.
Future rotorcraft technology developments, pp 451-460.

VAZIRY-ZANJANY, M.A.F. and FIELDING, J.P.
Reliability, maintainability and development cost implications of variable camber wings, pp 183-195.

VINCENT, A.H. and TYLER, D.J.
Future rotorcraft technology developments, pp 451-460.

WALKER, M.J., McMICHAEL, T., McKAY, K., FIELDING, C., LOCKLEY, G., CURTIS, P., PROBERT, B., LEE, C.S. and MORETTI, G.
Aerodynamic technology — the role of aerodynamic technology in the design and development of modern combat aircraft, pp 411-424.

WALSH, S.A., POLL, D.I.A. and GALLAGHER, M.C.
On the effect of uniform suction on stability and transition in zero pressure gradient viscous incompressible flow, pp 143-150.

WANG, J.J. and CHEN, F.
On the start condition of a second-throat ejector–diffuser, pp 321-326.

WEISS, F., SCHWEIGER, J. and DOBBS, S.K.
Aeroelastic design and flight test evaluation of the Ranger 2000 training aircraft, pp 341-350.

WENYING, G. and MINGCHU, X.
Rapid determination of aerodynamic sensitivity derivatives for subsonic wings, pp 121-134.

WILLIAMS, S.P. and GARRY, K.P.
An experimental investigation into yaw control at high alpha on a chined forebody using slot blowing, pp 355-363.

WILLIAMSON, M.
Space: towards the next millennium, pp 427-437.

WOLF, J.
A method for determining the wing lift-to-drag ratio of a propelled hang-glider, pp 60-64.

YAO, Z.X., CHEN, P.C., LIU, D.D. and SARHADDI, D.
Recent advances in lifting surface methods, pp 327-340.

YOSHPE, M., ROSEN, A. and ISSER, A.
The influence of unsteady aerodynamics and inter-blade aerodynamic coupling on the blades responses to harmonic variations of their pitch angles, pp 27-35.

YU, S.C.M. and CHAN, W.K.
Technical Note: Effects of a central straight on an S-shaped diffusing duct, pp 351-354.

Volume C

Number 991	January	1-38
Number 992	February	39-78
Number 993	March	79-110
Number 994	April	111-142
Number 995	May	143-196
Number 996	June/July	197-258
Number 997	August/September	259-312
Number 998	October	313-366
Number 999	November	367-408
Number 1000	December	409-555